


Whole house intelligent solution



APP master control

Smart life
For IOS & Android




tuya
tuya smart



Smart night light




Smart hydroponic machine



Drip irrigation



Soil detector



Temperature control



1-Zone water timer



2-Zone water timer





DESCRIPTION

It enables you to monitor the irrigation plan in a more adaptable and intelligent way


Smart Bluetooth Water Timer


Model No.:SOP10


FEATURES


- Manual Rain Delay 24/48/72h.
- Review water consumption date history on APP.
- Low battery protector .
- Voice controlled via Google Assistant or Amazon Alexa.
- APP remote control.
- Normal Timing and Periodic Timing.
- Can set 20 different watering plans per day.

SPECIFICATION


 3/4" Inlet thread and 3/4" outlet thread


 Working water pressure 0.5 bar to 8 bar

 Irrigation frequency 1min-23h59min, 1-7 days


 Manually watering from 1 min to 23h59 min

 Operating Temperature 4.5°C - 45°C (40°F- 113°F)


 Watering duration from 1min-23h59min

 Maximum flow 35L/min


 Waterproof IPX5

 Powered by 2*AA batteries (not including)


PRODUCT DIMENSION



FRONT



RIGHT



BACK

DESCRIPTION

helping gardeners grow plants in an effortless way and to keep your home garden always flourishing


Smart 1-Zone Water Timer


Model No.:SOP18


FEATURES


- Manual Rain Delay 24/48/72h.
- Review water consumption date history on APP.
- Low battery protector.
- Voice controlled via Google Assistant or Amazon Alexa.
- APP remote control.
- Normal Timing and Periodic Timing.
- Can set 20 different watering plans per day.


SPECIFICATION


 3/4" Inlet thread and 3/4" outlet thread


 Working water pressure 0.5 bar to 8 bar

 Irrigation frequency 1min-23h59min, 1-7 days


 Manually watering from 1 min to 23h59 min

 Operating Temperature 4.5°C - 45°C (40°F - 113°F)




 Watering duration from 1min-23h59min

 Maximum flow 35L/min

 Waterproof IPX5

 Powered by 2*AA batteries (not including)

PRODUCT DIMENSION



DESCRIPTION

Easy-to-use, intuitive features to allow you to optimize water use










Multi - Programming Digital Water Timer

Model No.:SGW10


FEATURES

- Dual Mode: How Often/How long.
- Manual Rain Delay 1~7.
- Low battery protector.
- Next irrigation time reminder.
- Set start time function.
- Manual watering.
- 40x25mm large screen.

SPECIFICATION

-  3/4" Inlet thread and 3/4" outlet thread
-  Manually watering from 1 min to 99 min
-  Maximum flow 35L/min
-  Working water pressure 0.5 bar to 8 bar
-  Operating Temperature 4.5°C - 45°C (40°F- 113°F)
-  Waterproof IPX5
-  Irrigation frequency 1min-23h59min, 1-7 days
-  Watering duration from 1min-5h59min
-  Powered by 2*AA batteries (not including)

PRODUCT DIMENSION



DESCRIPTION

Setting the perfect time for your watering needs ,anywhere from 1 to 23h59min



Multi - Programming Digital Water Timer

Model No.:SGW05


FEATURES

- Dual Mode: How Often/How lon.
- Manual Rain Delay.
- Child Lock.
- Low battery protector.
- Next irrigation time reminder.
- Set start time function.
- Manual watering.

SPECIFICATION

- 3/4" Inlet thread and 3/4" outlet thread
- Manually watering from 1 min to 23h59 min
- Maximum flow 35L/min
- Working water pressure 0.5 bar to 8 bar
- Operating Temperature 4.5°C - 45°C (40°F- 113°F)
- Waterproof IPX5
- Irrigation frequency 1min-23h59min, 1-7 days
- Watering duration from 1min-23h59min
- Powered by 2*AA batteries (not including)

PRODUCT DIMENSION



DESCRIPTION

Multi-zone outlets to meet more watering needs making it perfect for lawns, plants, greenhouses...


2 Outlets Tap Timer


Model No.:SGW06


FEATURES


- Manual Rain Delay.
- Child Lock.
- Low battery protector.
- Next irrigation time reminder
- Set start time function.

SPECIFICATION


 3/4" Inlet thread and 3/4" outlet thread

 Manually watering from 1 min to 5h59 min


 Maximum flow 35L/min


 Working water pressure 0.5 bar to 8 bar

 Operating Temperature 4.5°C - 45°C (40°F- 113°F)


 Waterproof IPX5

 Irrigation frequency 1min-23h, 1-7 days

 Watering duration from 1min-5h59min

 Powered by 2*AA batteries (not including)

PRODUCT DIMENSION



DESCRIPTION

2-zone outlet easier for you to schedule watering separately for different areas












2 Outlets Digital Water Timer

Model No.:SGW07


FEATURES

- Manual Rain Delay.
- Child Lock.
- Low battery protector (4.0V).
- Next irrigation time reminder
- Set start time function.
- Manual watering.
- 46x23mm large screen.
- Each zone can set 3 different watering plans per day.
- Individually set each zone's start time.

SPECIFICATION

-  3/4" Inlet thread and 3/4" outlet thread
-  Manually watering from 1 min to 5h59 min
-  Maximum flow 35L/min
-  Working water pressure 0.5 bar to 8 bar
-  Operating Temperature 4.5°C - 45°C (40°F- 113°F)
-  Waterproof IPX5
-  Irrigation frequency 1h-23h, 1-7 days
-  Watering duration from 1min-5h59min
-  Powered by 2*AA batteries (not including)

PRODUCT DIMENSION





DESCRIPTION

setting a timed watering schedule to let the hose timer run on its own and water at a specific time


Smart 2-Zone Water Timer


Model No.:SGW08


FEATURES


- Manual Rain Delay.
- Review water consumption date history on APP.
- Low battery protector (4.0V).
- Voice controlled via Google Assistant or Amazon Alexa.
- Schedule watering plans.
- APP remote control.
- Each zone can set 10 different watering plans per day.
- Multi-zone outlets to meet more watering needs.
- Normal Timing and Periodic Timing.

SPECIFICATION

 3/4" Inlet thread and 3/4" outlet thread


 Manually watering from 1 min to 23h59 min


 Maximum flow 35L/min


 Working water pressure 0.5 bar to 8 bar

 Operating Temperature 4.5°C - 45°C (40°F- 113°F)




 Waterproof IPX5

 Irrigation frequency 1h-23h, 1-7 days

 Watering duration from 1min-23h59min

 Powered by 2*AA batteries (not including)

PRODUCT DIMENSION



DESCRIPTION

each zone can be individually set the 2 watering schedule types. And you can set up to 20 programs for your plant garden, greenhouse, lawn


Smart 2-Zone Water Timer


Model No.:SGW02


FEATURES


- Manual Rain Delay.
- Review water consumption date history on APP.
- Low battery protector (4.0V).
- Voice controlled via Google Assistant or Amazon Alexa.
- APP remote control.
- Each zone can set 10 different watering plans per day.
- Multi-zone outlets to meet more watering needs.
- Normal Timing and Periodic Timing.

SPECIFICATION


 3/4" Inlet thread and 3/4" outlet thread


 Working water pressure 0.5 bar to 8 bar

 Irrigation frequency 1min-23h59min, 1-7 days


 Manually watering from 1 min to 60 min

 Operating Temperature 4.5°C - 45°C (40°F - 113°F)


 Watering duration from 1min-23h59min

 Maximum flow 35L/min


 Waterproof IPX5

 Powered by 2*AA batteries (not including)


PRODUCT DIMENSION



FRONT



RIGHT



BACK



DESCRIPTION

The watering timer can set up to 20 independent watering programs to meet the watering needs of different plants


Smart WiFi Water Timer


Model No.:SGW03


FEATURES


- Manual Rain Delay 24/48/72h.
- Review water consumption date history on APP.
- Low battery protector .
- Voice controlled via Google Assistant or Amazon Alexa.
- APP remote control.
- Normal Timing and Periodic Timing.
- Can set 20 different watering plans per day.

SPECIFICATION


 3/4" Inlet thread and 3/4" outlet thread


 Working water pressure 0.5 bar to 8 bar

 Irrigation frequency 1min-23h59min, 1-7 days


 Manually watering from 1 min to 23h59 min

 Operating Temperature 4.5°C - 45°C (40°F- 113°F)




 Watering duration from 1min-23h59min

 Maximum flow 35L/min

 Waterproof IPX5

 Powered by 2*AA batteries (not including)

PRODUCT DIMENSION













Digital Water Flow Meter

Model No.:SGS04




FEATURES

- Low battery indicator.
- One-click query and convenient to use.
- Snap straight onto the tap or directly under hose gun.
- Digital LCD display, show all date clearly.
- Measures total real-time water flow rate.
- Monitor the water usage as your water.
- Measures the accumulated water consumption of 7 days
- Battery operated (included).

SPECIFICATION

 Max Water Consumption 99999L/99999GAL	 Water Flow Rate 1~45.5L/Min(12.0GAL/Min)	 Waterproof IPX6
 Working Pressure 0.5~10.0Bar	 Max Flow 45.5L/Min or 12.0GAL/Min	 Battery Model CR2032 3V
 Water Temperature 3°C ~ 65°C	 Measurement Tolerance ± 5%	

PRODUCT DIMENSION



Smart WiFi & Bluetooth Gateway

Model No.: ECF-WG02



FEATURES

- Connect to smart products at home through BLE Gateway.
- Can control smart products at home through your smartphone.
- Voice controlled via Google Assistant or Amazon Alexa.
- APP remote control.
- Plug and play, can be placed in any place with a socket to be powered on and used for networking.
- Can be used with BLE smart products.
- Supports 2.4G WIFI network and Bluetooth direct connection.

SPECIFICATION

- | | | |
|--|--------------------------------------|-------------------------------------|
| Materials
PC+ABS UL94V0
Anti-Fire Material | Max Device
connect quantity
32 | Input
AC100-250V
Wide Voltage |
| Dimension
50*50*23mm | Connected
WIFI+Bluetooth | Button
Pairing |
| WiFi
2.4GHz | APP
Smart life APP | |

PRODUCT DIMENSION

